

7398 F 27 214 ber pulmonary Consumption. mobile





V Remember the predis position to community.

- tion is debility, and that this care on Dis . hits only be runould lifter the Fiscuse is cured by those powerful to and Dura. to they - ble torie remedies. - los = far ha

frequently serves suspends its Lymplows only, but makes no imprepion upon the Dis case itself, nor upon its prosing debi; - Juns . hity of the System. The same remark applies to the Digitalis. The reason therefore why is they both so often fail of performing a Cure, usa: is humse, we do not aurunpany, or fol-- low them by remedies that are calculated to act upon the discuse itself, and its predis , - poring deleility. These Should be exercise, labor, long journies & a Change of Climate, and care. - fully avoiding all its munder fraiting trusco In the typhus flate of Consumption it may be useful barely to make the month sore, but a fabration cannot be borne by the System in this flate of the disease. I have serge it not town touch the mouth in this typhus

V I Two medicines have lately been introduce. H = ad into practice in this disease & viz: the By Lichen Islandicus, or Juland mop, and the bac alcomoque. They are muileginous, and 2t moderately litter. Many of my patients m have taken them, but never by my advice, but no one of them with the least benefit. ore This have not even relieved a distriping dis hymptoin of the Disease. as well might 10. he attempt to Demotish the rock of gibralles Can by Inns quet Shot, as expect to cure a Consumption by such trifling remedies. Ju tra Wij = ta ma Deg gen

thate of the discase, it though he law aside. odu-By continuing to give it, we weaken the re batient, and thus accelerate his dipolution. the It is to be regutted that we seldown discied in nd more than the Case out of thru or forer in 5 our allements to excite a Salivation in this in, efit. discase. - V 7 10 avviding all its publishing, and exciting Canoes. I shall dwell particularly expor a ler for of them. I wereny should be thirthy forbidden to con. a - Sumptive patients. Runer pumit a man to es. travels to be used of this disease to late his wife with, and early interdict the sexual in. = terevise whether the Discuse appear in the male or female dex. The hings I the fimale Organo Sympathise very much together. a gentleman whom I one attended in a pulmo.
- nay Consumption informed me that he now

fai wil 200 2m the 02 an Than 0, 1 he. but Shey un Low Con wh Jen

failed to yout blood after a venereal Connection with his wife. all Consumptive personsful more or lesp pain in the breast after it This morbid dyngsathy between the lungs, and the genitals extends to the brute Creation. a 200 Eluxard of France has lately published an account of the diference of some Cows that died while they were under the influence their opposite tex. Their hings he says were discased in every case. women but the Essenal appetite as well as even while they are affected with Consumptioner - and hence we to often observe life preserved in them by writinally bearing Children, may to The Continuance of the Catameria during the whole Course of this disease in love women seems to be the offert of the Sympathetic actions of

Bh 2 luc It 249 3 14 - h for 24 bis Lon 03

the Uterus & hings. 2 The Eright and carely morning air the? be carefully avoided by consumptive patients. It can seldren be cared without a fliret regard to this direction. 3 litting near a Clout h in a dresty room litting up late at mights, and above all, tal: - king to and reading with a loud voice, or for a long time. I one knew this disease resected by the Conversation of a tedious bisit to a lady who had meanly recovered, de I heave read an account of a lough being completely suspended by white perfect filme you imposed upon a lady by for friedays by her physicians It remains even to meration the Remedies for alleviating the distreping sprystoms of this discase. They we highly important, to know I apply their properly, for those

V= tome, and debitilating hymptom. There is a great Variety in its it. It 2 it occurs only in lying down and in rising out of bed. 3 only in the Day and never at hight, and lastly dring both day and eright, and that to such press of a parrayon of longh to continuing five hours without the intermission of a single minute. It a


0

i

4

Symptoms and everence the force and Danger of the disease, but they are to its predisposing beliefty, and thus render it more difficult to cure. The lough is a new trouble = , is to be releived by all the medicines men. = timed when treating of Catarrh, and by Joine Others to be prentioned presently . It Opicion is the principal of them. It I Bichat thouts given early in the evening . I Bichat divides life into animal & organic. The former which is external, he says pre. - downinates in the Day time, - the latter which is internal medorminates in the Wight. It begins he says soon after we drops aslup, & is altended with an enercase of customent in the Viscera, proportioned to the businestine of it upon the Surface of the body. now.

ing




Opium if given after this organice, or lis. But by giving it a four hours before bedtime we prevent it, and by kupping up action in the their to me prevent enveled astionin the hings. For the dance reason food fhond not be taken at bestime except in very small greantities. Opium should be taken not only in the evening, but carly In the invening awarding to the advise of when the lough is houtheround desility at that time when it is greatest bemost distriping - It should be taken likewise in small how bles are. The boy when the cough is how bles are to be the appets of the translation of visconal existement

to V assenie in pills or Johnton. Twitto this medicine I have completity destroyed the Chills & leponed the rights Iwests in sweat instances. I - The Iwests are further lefored, or summented


to the Surface of the body, or of Dischats organic life paping into animal life, W. here they occur chiefly in the morning. The Leveling for them they are most profuse about the nuch and breast. The Remedies for them are Huping in flamsche was upon a matrap, - friting of the their will british (mi with distilled spirits, brine word volatile Spirits, brine with powder of Chath, and Iweet oil-powder of Chath, wither or common salt and Iweet oil-powder of Chath, dipped in a wearing a thirt constantly, dipped in a Devotion of perevian or beto oak bank, and afterwards well dried. a tounght of hot for wild water tasks of bothers - or dix pariful of malaga wine, awarding to De Jew butine taken at bestime twaterme. - long when in Jesson, or water melon teld ten at other Sersons both of which prevent the Iwests by promoting a plentiful dio: - charge of Usine, - a pint of live water

in the year 1812 V consultation with Dr Heapops from whom above 20 quarts of water have been drawn by Incupine princtures in her less and whom her kness in the lower of Jour weeks. Table 1812. The cough I all her pulmonary Jympotoms have been relieved by this remety.

anording to die John Pringle taken During The day, or half a draw of the provider of Calcinio apoter Shells taken at bettime, and lastly from two to ten grains of the power of again taken two or three times a day. When the Sweats are aumpanied with much artivity of pulse, the lop of a few oreness of blood seldown fails to check Iwelled legs are to treated by frictions up. them. - wards, and in a morning only - by bhis land by puretures on the states with the point of a lancet. I am mos attended a lady in Diamhoa: When the blood repuls hum To weak as not to be able to propel this watery Contents to the Phin, they pour them upon the bowels, and hence the origin of the Thin & Shing ftoots which much the




closing Itage of this disease. The Sweats & even the Cough now cease from morbid excitement, and the fluids being Determined wholly to the bowels. The remedies from this Lymptons are Lowermeron - Chalk, grun Kino, and Others to be mentioned When we come to treat of Diamhan as a primary discase. quat had or butters pain & Difficulty of burthing some homes sever in every flate of this discuse. Its rimetries thouts be male aludings, bhisters to the parts affected, and lignid Candancian. The Consumption is wally timesialts in one of the following ways. I With great brakers, profuse fronts & Frankoa, and Insprical Smillings in the limbs.



2 a misture of a bloodrepel Indamly drows -ring the lungs. 3 a mystrue of an Absufs either into the July tamie of the lungs, on the Cavity of the thorax suddenly inducing sufficiation, on an inability of the lungs to expand them. 4 a sudden or gradual effusion of water into the lungs or the Cavity of the thorax. 5 h translation of the discuse to the brain induing madness. I a processoria bega i or mother Longesta I shall now mention the Jigns of an imfavourable and of a favorinable if we of to to the former Class of Lyongolos this discase. belong

I be disease being deried from ancistors 2 It's being the Uffect of translated Rhus-matism, gout and Scripthulk A It these tions: it is generally of a very Chronic 3 Feet Obstinately Cold. 4 The expectoration of Calculi from the Lungs I have heard of a survey were after this survey fyroptom had taken place. - I two engre without 5 a sudden Capation of the Cough without a supervising tianshea. 6 a discharge by expectoration of athin watery Shind with froth, and a small portions of pus swimming upon its Surface. I The cryes becoming lighter, and the teeth Whiter than hatteral. The former occurs in the duay of the Lystem from old gge. I Lice, and the fathing off of the hair.



1. I lous, I a dwelling of the face. 10 It is always en one dangerous where Ellers and tubercles have taken place in the hongo; than from an absulp. 11 a Spitting of blood Incuding Cough, and often common ligns of tribereles, Ween & absets in the hungs. 12 a Constant bouriting, into The Jigns of a favourable if me of the I a Spitting of blood before a Courgh, or other Signs of bixed Obstructions in the hongs. 2 Rhumatie pains drewding a Cough, & reliving it. 3 Emptions and Absafres occurring in any part of the body, provided the Strength of the . In inference can be formed of the have System be not ashansted.


+ The enashs of pus as laid down by the Jamein are . add bit: and to form or Courtie alkali to forces the matter expectorated - they will dispolve it - there and water Itte enwares will float - If pus, it will fall to the bottom, or form a uniform turbid misture with the liquid . -V They your eye stavily upon its remote Causes, and suit your remedies to them as far as they influence the na: - true of the discuse. attend particularly to its Tympathetic Causes. The removal of a discove in the Stomach, the liver, the Whyther by accident or Design, whithe would have formationes cured by lien and the would have formationes cured

a Consumption after all the Common remedies deceted to the flats of the lange only have been administred to no purpose.

the your has experienced the qualities of for as it is secreted from unbroken Infaces, it affords no proof of the presum of ulus or an about in the hungo. have been many running lefter the expu: - losation of pres, and many deaths where no pur was discharged. + I shall conclude this to our auount of this disease by suggesting two was disections 2 Mewer love right of the Christing thate of the System, and type of the discuse in every Itage of it. The rise or fall of the mercury in the Thermoureter, an improper meal, a restlep night, and a four office Circumstances Change the flate of the disease to astoren\_ der Indicines moper on an day which would

V & have thus Gentlemen laid before you the result of all the reading, experience I reflictions of eny life upon this for = midable & fatal disease. I ful as if I had heen attempting for two days to chivide a knot of ligneen briter in your prosence. - whether I have en all any imprepion sopoa, or only broken my mantel Wedges into peires - I leave wholly to your determination.

have been brutful the week or Day before. By changing your remedies with the force and Lympstoins of the disease you will now and then lose your Character for Stabie - lity and Skill in your profession, but com: - fort yourselves with this reflection that Changes in Opinion and practice have pro-- Due all the physical & moral happines in Ons World, and that withing bass no Changes in midicines have ever done the twentieth part of the enrochief that has been done by Stability in ignorance terron. I shall sow man The transition will be natural to pap on from treating upon pulmonary con-- sumption to make a fin remarks upon a Cough, and to mention the remedies that are proper to relieve it.



This troublesame affection of the hungo, though a common lymptom of conever during a lotal life without induing Consumption or Death. The cough is generally sovorous and schown aucompa. -nid with /sain, much expectation on any fever. It is never a dage discase, from its washing to induce general delicity & Consumption, Et Thoua therefore be attended to in its early Itage. It is nothing on such as for boal diseases to being on such as general, and for the same discase to be brought on both by general Horal laws. a Stroke on the head now I their indues a daying of the brain, and yet we know

tha

that disease is Often indued his friendly upon the Whole System. The Cough is both pulmonary & bachial, and is brought on by causes which art promotes primarily ordi: - withy - tecondarily or indirectly, and Tympathetically - upon the hungs and trachia. Et often comes on suddenly from extra exposure to a Consent of dir, from too light bed cloaths, from eating - Onishing & certain papions of the mind & particularly bear. Public Speakers are often troubled with it. The resulties for it should be regulated by the State of the System. In a full habit, with an artice prubse, it will amayo be proper to begin the lune the lee ti as: the lop of blood, and to repeat it if the blood be tizy, and the Symptoms of Julup, and vigor continue in the pube. at the same time andistensioned bit should be resmembed, and and Demulent Frishs, particularly flasser, bran and mallow tra, and molapes & water pleasantly andulated with live juice, on Vinegar. To these remedies thould be added quette exercise. I have known astors frequently walking and once a long side come a cough the misself of Winter. In a natural flate of the pulse, the following umedies have been noeful. I washing the feet every morning in cold wa 2 filense for four or five hours. 3 a pitch plaster worn constantly between the Thoulders. 4 the following Lymps . I freet oil, live

V The liquorie mixture.

juice or vinegar, and honey, and if medany too pulse will bear it Spirits of each equal 2. The Lymps of honeradish wade agreeably to D'Culleris reipe Contained in his materia 3 Hypop, howhourd, Elecampare, brugwort of each a handful. Boil them in a gallon of water to haif a gallow. Then and a primo of Honer raisons and but the ftim them a hour or two together - Hain them & then add lignories ball Zij white Jugar Bij and afterwards boil them to a hyprejo. In a long of fuble Plate of the pulse and lungs, the following remedies have found I Tantvater, and the tar pill. From a instrul. half a gill of the former to agill, and from one to three of the latter, to be taken three times a Day.


27 the 3 th 1 2 Town 10- to 20 Dwys of the Oil of amber three times a day, a cine of garling times a day. 3 a trasported of the time true of apaluton threatimes a day. But there midicines are creellent when the longh comes on buddenly, and with Lynapto revious Symptoms. 4 The following Lyrups: Lulphur, Blecampane, Lignorie bell, and arrised in powder of each Zi ardent Spirits by . Let the Spirits on fire, and at them burn till the spirit is 20. = dund to loi - then add water a point de Jugar Hips and wil them to a Lymp of which a table from ful thould be taken three or four times a day, or between when the Cough is troublesome. 2 a traspoorful of the flour of mustard three times a day in a table spoonful of molasses. 3 to tenspoonful of the powder of Risin the 0

thus times a day in a table sproonful of molapes or honey. 3 a lyngs prepared from garlie or 4 hulphur, Lover, and and and Isamus dit of the latter.

two of the former, to

5 anologous wire and Brands of week equal parts, or

5 anologous wire and Brands of week equal parts, or a Paroxyson of Coughing is Often obviated by the following rundies. I hwale and pregnent draughts of cold water. 2 Preping the back against a Cold Wall. 3 a hump of loof Ingar dipped in Spirits, or a peice of liquorin ball, or a propper mint losenge suffered to dies ohre upon The root of the tought of the powder of risin. I know to to 15 Dropes of Lignid Louisanum. Shep is of a great consequence to persons afflicted with Cough. To produce it Landa. : mom thould be taken when the longh



is troublesome at nights. all its exiting causes should be carefully avoided particularly low feet. I have thus gent plais before you all the result of the reading, ob-- servations of and reflections of my life upon pulyhunany topio

